



An Anthem Company

Dental Clinical Policy

Subject: Implant Fixed Prosthetics - Crowns and Fixed Bridges

Guideline #: 06-001

Publish Date: 01/01/2021

Status: Revised

Last Review Date: 12/05/2020

Description

This document addresses the procedures of implant-supported crowns, implant supported abutment crowns, and implant supported fixed partial dentures for replacement of missing teeth.

The plan performs review of implant crowns and fixed bridges due to contractual requirements that necessitate benefits for dental services meet specific contract requirements. For example, plan contract(s) may require the provision of benefits for services that meet generally accepted standards of dental care at the lowest cost that properly addresses the patient's condition. The conclusion that a particular service is medically or dentally necessary does not constitute an indication or warranty that the service requested is a covered benefit payable by the dental plan.

Clinical Indications

Dental Services using dental implant supported crowns, implant and abutment supported crowns, or implant and/or abutment supported fixed partial dentures to replace missing teeth may be considered appropriate as a result of:

- accidental traumatic injuries to sound, natural teeth from an external blow resulting in extraction –
- a pathologic disorder resulting in extraction
- congenitally missing teeth
- congenital disorders of teeth resulting in extraction.

Dental review as it applies to accepted standards of care means dental services that a Dentist, exercising prudent clinical judgment, provides to a patient for the purpose of evaluating, diagnosing or treating a dental injury or disease or its symptoms, and that are: in accordance with the generally accepted standards of dental practice; , in terms of type, frequency and extent and is considered effective for the patient's dental injury or disease; and is not primarily performed for the convenience of the patient or Dentist, is not cosmetic and is not more costly than an alternative service.

For dental purposes, "generally accepted standards of dental practice" means:

- Standards that are based on credible scientific evidence published in peer-reviewed, dental literature generally recognized by the practicing dental community
- specialty society recommendations/criteria
- the views of recognized dentists practicing in the relevant clinical area
- any other relevant factors from credible sources

Dental Services using dental implant supported crowns, implant and abutment supported crowns, or implant and/or abutment supported fixed partial dentures are not appropriate in situations where teeth are not missing, including the replacement of third molars. The replacement of multiple teeth by dental implant supported crowns, implant and abutment supported crowns, or implant and/or abutment supported fixed partial dentures in the same arch is not medically necessary (unless specified by group contract) when other less costly dental services are capable of adequately restoring the occlusion to function. The prosthetic restoration of dental implants may be subject to contract limitations and/or alternate benefit plan provisions.

Note: In the event a subscriber does not return for cementation, there is no benefit, as the service will be considered incomplete.

Criteria

1. Prior to implant placement and restoration, a thorough dental examination, medical and dental history, full mouth imaging, and treatment plan must be completed.
2. As most medical plans include coverage for dental services related to accidental injury, claims for the replacement of missing teeth resulting from an external blow or blunt trauma must first be referred to the subscriber/employee's medical plan. The medical plan may cover the replacement of missing teeth due to an accidental injury.
3. Dependent on provider contract, the delivery date of dental implant supported crowns, implant and abutment supported crowns, or implant and/or abutment supported fixed partial dentures is considered the date of initial delivery.
4. If cement is utilized, the type of cement, e.g. permanent or temporary, is not a determinate for the delivery date.
5. Replacement of dental implant supported crowns, implant and abutment supported crowns, or implant and/or abutment supported fixed partial dentures due to "metal allergy/sensitivity" will be considered only upon submission of documentation by a physician with the associated allergy report.
6. A temporary or provisional dental implant supported crowns, implant and abutment supported crowns, or implant and/or abutment supported fixed partial dentures will be considered inclusive with the final restoration.
7. With plans that contain a missing tooth clause there is no benefit for the replacement of the missing teeth when dental implant supported crowns, implant and abutment supported crowns, or implant and/or abutment supported fixed partial dentures is treatment planned. Implant placement/restoration is not a covered benefit for third molar sites.

D6056	Prefabricated abutment – includes modification and placement
D6057	Custom fabricated abutment – includes placement
D6051	Interim abutment
D6052	Semi-precision attachment abutment
D6110	Implant/abutment supported removable denture for edentulous arch - maxillary
D6111	Implant/abutment supported removable denture for edentulous arch - mandibular
D6112	Implant/abutment supported removable denture for partially edentulous arch - maxillary
D6113	Implant/abutment supported removable denture for partially edentulous arch - mandibular
D6114	Implant/abutment supported fixed denture for dentulous arch - maxillary
D6115	Implant/abutment supported fixed denture for dentulous arch - mandibular
D6116	Implant/abutment supported fixed denture for partially dentulous arch - maxillary
D6117	Implant/abutment supported fixed denture for partially dentulous arch - mandibular
D6058	Abutment supported porcelain/ceramic crown
D6059	Abutment supported porcelain fused to metal crown (high noble metal)
D6060	Abutment supported porcelain fused to metal crown (predominantly base metal)
D6061	Abutment supported porcelain fused to metal crown (noble metal)
D6097	Abutment supported crown – porcelain fused to titanium or titanium alloys
D6062	Abutment supported porcelain cast metal crown (high noble metal)
D6063	Abutment supported porcelain cast metal crown (predominantly base metal)
D6064	Abutment supported cast metal crown (noble metal)
D6094	Abutment supported crown titanium and titanium alloys
D6065	Implant supported porcelain/ceramic crown
D6066	Implant supported crown – porcelain fused to high noble alloys
D6082	Implant supported crown – porcelain fused to predominantly base alloys
D6083	Implant supported crown – porcelain fused to noble alloys
D6084	Implant supported crown – porcelain fused to titanium or titanium alloys
D6067	Implant supported crown – high noble alloys
D6086	Implant supported crown – predominantly base alloys
D6087	Implant supported crown – noble alloys
D6088	Implant supported crown – titanium and titanium alloys
D6068	Abutment supported retainer for porcelain/ceramic FPD
D6069	Abutment supported retainer for porcelain fused to metal FPD (high noble metal)
D6070	Abutment supported retainer for porcelain fused to metal FPD (base metal)
D6071	Abutment supported retainer for porcelain fused to metal FPD (noble metal)
D6195	Abutment supported retainer – porcelain fused to titanium and titanium alloys
D6072	Abutment supported retainer for cast metal FPD (high noble metal)
D6073	Abutment supported retainer for cast metal FPD (predominantly base metal)
D6074	Abutment supported retainer for cast metal FPD (noble metal)
D6194	Abutment supported retainer for cast metal FPD – titanium and titanium alloys

D6075	Implant supported retainer for ceramic FPD
D6076	Implant supported retainer for FPD – porcelain fused to high noble alloys
D6098	Implant supported retainer – porcelain fused to predominantly base alloys
D6099	Implant supported retainer for FPD – porcelain fused to noble alloys
D6120	Implant supported retainer – porcelain fused to titanium and titanium alloys
D6077	Implant supported retainer for metal FPD – high noble alloys
D6121	Implant supported retainer for metal FPD – predominantly base alloys
D6122	Implant supported retainer for metal FPD – noble alloys
D6123	Implant supported retainer for metal FPD – titanium and titanium alloys
D6090	Repair implant supported prosthesis, by report
D6092	Re-cement or re-bond implant/abutment supported crown
D6093	Re-cement or re-bond implant/abutment supported fixed partial denture
D6096	Remove broken implant retaining screw
D6205	Pontic – indirect resin based composite
D6210	Pontic – cast high noble metal
D6211	Pontic – cast predominantly base metal
D6212	Pontic – cast noble metal
D6214	Pontic – titanium and titanium alloys
D6240	Pontic – porcelain fused to high noble metal
D6241	Pontic – porcelain fused to predominantly base metal
D6242	Pontic – porcelain fused to noble metal
D6243	Pontic – porcelain fused to titanium and titanium alloys
D6245	Pontic – porcelain/ceramic
D6250	Pontic – resin with high noble metal
D6251	Pontic – resin with predominantly base metal
D6252	Pontic – resin with noble metal

ICD-10-CM Diagnoses for Dental Diseases and Conditions: See the current CDT code book for details

References

1. Lekholm U, Grondahl K and Jemt T. Outcome of oral implant treatment in partially edentulous jaws followed 20 years in clinical function. *Clin Implant Dent Relat Res* 2006;8:178-186.
2. Zarb GA. Immediate and early implant loading protocols: a literature review of clinical studies. *J Prosthet Dent* 2005;94:242-258.
3. Naert I, Koutsikakis G, et al. Biologic outcomes of single-implant restorations as tooth replacements: a longterm follow-up study. *Clin Implant Dent Relat Res* 2000;2:209-218.
4. Gelb DA. Immediate implant surgery: Three year retrospective evaluation of fifty consecutive cases. *Int J Oral Maxillofac Implants*;2004;62(Suppl 2):90-105.

5. Dahlin C, Lekholm U and Lindhe A. Membrane-induced bone augmentation at titanium implants. A report on ten fixtures followed from 1 to 3 years after loading. *Int J Perio Rest Dent* 1991;11:273-281.
6. American Academy of Periodontology. Periodontal maintenance (Position paper). *J Perio* 2003;74:1395-1401.
7. Becker W, Dahlin C, et al. The use of e-PTFE barrier membranes for bone promotion around titanium implants placed into extraction sockets: A prospective multi-center study. *Int J Oral Maxillofac Implants* 1994;9:31-40.
8. American Academy of Periodontology. Parameter on placement and management of the dental implant. *J Perio* 2000;71(5 supplement):870-872.
9. Elsubeihi E and Zarb GA. Implant prosthodontics in medically challenged patients: the University of Toronto experience. *J Can Dent Assoc* 2002;68:103-108.
10. American Academy of Periodontology. Bone augmentation. AAP commissioned review. *J Perio* 2007;78:377-396.
11. American Dental Association. CDT 2013 Dental Procedure Codes;51. (©ADA 2012).
12. Leblebicioglu B, Rawal S and Mariotti A. A review of the functional and esthetic requirements for dental implants. *J Amer Dent Assoc* 2007;138:321-329.
13. Esquivel-Upshaw J. Dental implants. In: Anusavice KJ, ed. *Phillips science of dental materials*. 11th ed. Saunders;2003:759-780
14. Parein AM, Eckert SE, et al. Implant reconstruction in the posterior mandible: a long-term retrospective study. *J Prosthet Dent* 1997;78:34-42.
15. Shenk RK, Buser D, et al. Healing pattern of bone regeneration in membrane-protected defects: A histologic study in the canine mandible. *Int J Oral Maxillofac Implants* 1994;9:13-29.
16. Lazzara RJ. Immediate implant placement into extraction sites: Surgical and restorative advantages. *Int J Perio Rest Dent* 1989;9:332-343.
17. Lekholm U, Gunne J, et al. Survival of the Branemark implant in partially edentulous jaws: a 10-year prospective multicenter study. *Int J Oral Maxillofac Implants* 1999;14:639-645.
18. Romeo E, Chiapasco M, et al. Long-term clinical effectiveness of oral implants in the treatment of partial edentulism: seven-year life table analysis of a prospective study with ITI dental implants system used for single-tooth restorations. *Clin Oral Implant Res* 2002;13:133-143.
19. Wyatt CC and Zarb GA. Treatment outcomes of patients with implant-supported fixed partial prostheses. *Int J Oral Maxillofac Implants* 1998;13:204-211.
20. DeLuca S, Habsha E and Zarb GA. The effect of smoking on osseointegrated dental implants. Part I: Implant survival. *Int J Prosthodont* 2006;19:491-498.
21. Paolantonio M, Dolci M, et al. Immediate implantation in fresh extraction sockets. A controlled clinical and histological study in man. *J Perio* 2001;72:1560-1571.
22. Johnson PF. Treatment considerations of fixed prosthetic restorations of the compromised dentition vs alternate fixed implant-supported options. *J Calif Dent Assoc* 2003;20:
23. Weber HP, Zimering Y., Survival and complication rates of fixed partial dentures supported by a combination of teeth and implants, *J Evid Based Dent Pract* 2012 Sep; 12 (3 Suppl):215-6. Doi: 10.1016/S1532-3382 (12) 70041-6
24. Muddigangadhar BC, Amarnath GS, Sonika R, Chheda PS, Garg A., Meta Analysis of Failure and Survival Rate of Implant-supported Single Crowns, Fixed Partial Dentures, and Tooth-supported Prosthesis. *J Int Oral Health*. 2015 Sep;7(9):11-7

25. Lang NP, Pjetursson BE, Tan K, Bragger U, Egger M, Zwahlen M, A systematic review of the survival and complication rates of fixed partial dentures (FPDs) after an observation period of at least 5 years. II. Combined tooth – implant supported FPDs., Clin Oral Implants Res. 2004 Dec;15(6):643-53. Review

History

Revision History	Version	Date	Nature of Change	SME
	initial	12/20/16		Rosen
	Revision	2/5/18	Related Dental Policies, Appropriateness and Medical necessity	M Kahn
	Revision	2/12/2020	Annual Review	Committee
	Revised	12/05/2020	Annual Review	Committee

Federal and State law, as well as contract language, and Dental Policy take precedence over Clinical UM Guidelines. We reserve the right to review and update Clinical UM Guidelines periodically. Clinical guidelines approved by the Clinical Policy Committee are available for general adoption by plans or lines of business for consistent review of the medical or dental necessity of services related to the clinical guideline when the plan performs utilization review for the subject. Due to variances in utilization patterns, each plan may choose whether to implement a particular Clinical UM Guideline. To determine if review is required for this Clinical UM Guideline, please contact the customer service number on the member's card.

Alternatively, commercial or FEP plans or lines of business which determine there is not a need to adopt the guideline to review services generally across all providers delivering services to Plan's or line of business's members may instead use the clinical guideline for provider education and/or to review the medical or dental necessity of services for any provider who has been notified that his/her/its claims will be reviewed for medical or dental necessity due to billing practices or claims that are not consistent with other providers, in terms of frequency or in some other manner.

No part of this publication may be reproduced, stored in a retrieval system or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from the health plan.

Current Dental Terminology - CDT © 2021 American Dental Association. All rights reserved.